



# Veal Briefs

The Latest Information  
on Red Veal Nutrition



## Feeding Calves Right

Laura Martin, M.Sc

Raising calves on a dairy farm can be a tricky business. Like most young animals, calves have a weak immune system following birth and can suffer from a host of health problems, from scours to respiratory issues. Calves that survive health challenges have been shown to have poorer growth than their healthy herd mates. With beef prices now it's worth spending time getting bull calves off to a good start.

Colostrum intake in calves is essential. Calves get immunity and concentrated nutrients from colostrum; and without it have a higher risk for disease and poor growth. Colostrum management is probably the most talked about issue when it comes to raising calves. Despite this a survey, done in the US representing over 80% of all the dairy cows in the US, showed that almost 25% of top percentile farms and over 50% of bottom percentile farms still rely only on nursing the calf on the cow for colostrum intake. Experts recommend bucket or tube feeding of colostrum so that intakes can be monitored. Also it reduces the chance of the calf picking up a disease from feces near the cow's udder. When sourcing calves, finding out how much colostrum they have received is just as important as how much they cost.



Recommended colostrum intake is 2-3 L within the first 4 hours of birth and a total of 4 L within 12 hours of birth. It is important to get colostrum into the calf as soon as possible since the gut's

Cont. >>

Inside this Issue...

*Feeding Calves Right*

By: Laura Martin, M. Sc, Nutritionist



**Get your calves off to  
the right start with  
firstSTART®C  
Veal Calf Milk Replacer!**

- firstSTART®C milk replacer has excellent palatability and mixing characteristics.
- Most of the protein comes from milk products to more naturally mimic mother's milk.
- Balanced with synthetic amino acids to meet the calves' needs and get them off to a great start.



Volume 1, Issue 1  
August 2014

69819 London Road, RR #1, Centralia, Ontario, Canada, N0M 1K0

Tel: (519) 228-6444 or 1-800-265-2904 • Fax (519) 228-6560 • Email [kpalen@kenpal.on.ca](mailto:kpalen@kenpal.on.ca) • [www.kenpal.on.ca](http://www.kenpal.on.ca)

ability to absorb antibodies decreases by one-third after the first 6 hours, and by 24 hours after birth digestive enzymes are active that destroy antibodies before they can be absorbed. Colostrum quality is imperative to calf survival. It is important to use colostrum from the first milking. The quality rapidly declines after this first milking and is no longer considered true colostrum (Table 1). The low level of lactose in colostrum reduces the risk of scouring and allows for the high intakes required in the first 4 hours. Timing of first milking is also important as research has shown that antibody levels in milk decrease by almost 4% per hour post calving. Transition milk should be fed for the next three days as its nutrient content is still higher than whole milk.

**Table 1: Comparison of Milk Composition: Colostrum to Whole Milk**

| Component (%)   | Colostrum   | Transition Milk |             | Whole Milk |
|-----------------|-------------|-----------------|-------------|------------|
|                 | 1st Milking | 2nd Milking     | 3rd Milking |            |
| Total Solids    | 23.9        | 14.1            | 13.6        | 12.9       |
| Fat             | 6.7         | 3.9             | 4.4         | 4.0        |
| Protein         | 14.0        | 5.1             | 4.1         | 3.1        |
| Lactose         | 2.7         | 4.4             | 4.7         | 5.0        |
| Calcium         | 0.26        | 0.15            | 0.15        | 0.13       |
| Immunoglobulins | 6.0         | 2.4             | 1.0         | 0.1        |

Source: Pennsylvania State University

Colostrum can be stored for up to a year in a freezer for use in calves born to cows with Johne's, severe mastitis, or no milk. Colostrum should be thawed with warm water, not hot water. Microwaves can be used on low power for short periods but this may reduce the quality of the colostrum by destroying nutrients and antibodies.

For the first few weeks milk is the calf's main source of nutrients. The anatomy of the calf allows for milk to bypass the rumen and go directly to the true stomach. After 12 weeks this esophageal groove no longer functions and any milk consumed enters the rumen for fermentation. The general recommendation for milk replacer intake is 10% of the calf's body weight. However the Unweaned Calves section of the Code of Practice – Dairy Cattle recommends an intake 20% of body weight until 28 days of age. During cold weather intakes should be increased to provide extra energy the calves need to keep warm.

Kenpal's firstSTART C veal calf milk replacer program provides 21% crude protein and 19% fat. firstSTART C supplies a consistent source of nutrients to the calf at every feeding. Most of the protein in firstSTART C veal calf milk replacer is from milk products rather than plant proteins to more naturally mimic mother's milk. The use of plant protein in the milk replacer makes the product more economical and helps to slow the digestion and make the milk replacer "stick" to the calf. To optimize average daily gains, and get the calves off to a good start, firstSTART C is also balanced with synthetic amino acids to meet the calves' needs. Kenpal milk replacers are fully fortified and balanced with optimum vitamin and trace mineral levels, including the B-vitamins which a young calf cannot product itself. It is important to mix and feed milk replacers according to the manufacturer's instructions. Different companies may have balanced the milk replacer to be fed at a different feeding rate. Underfeeding may hurt growth performance as the calves aren't receiving all the required nutrients. Overfeeding

can also hurt growth performance in calves as the excess of proteins and sugars may cause the calf to scour. If switching between milk replacers make sure to read the product label carefully and mix the correct amount of powder.

A good quality calf starter should be introduced to calves at 4 days of age. Finding a quality feed that is palatable to calves is important to getting them eating and getting their rumen developed. Kenpal's gemSTART 19% Calf Starter program provides a highly palatable, nutritious feed to get the calves eating solid food. The products are formulated with optimal levels of Selenium and Vitamin E, to help improve immune response, and highly digestible protein and energy sources, to help increase rate of gain and reduce digestive upsets. A special blend of herbs and spices make the feed especially tempting for calves. Initially calves won't eat much starter; a small coffee cup per day should be plenty. Remove any feed not consumed daily and replace with fresh feed. Any left over feed can be fed to older calves to reduce waste. This will keep the calves interested and get them on-feed faster. Kenpal's Calf Starter feed is a concentrated source of energy and nutrients that help put weight onto the calves so that when they are weaned they meet body weight targets. Free choice water should also be offered starting at 4 days of age. Research has shown a 31% reduction in starter intake and a 38% reduction in weight gain in calves deprived of water access. During periods of extreme cold, warm water should be offered 2-3 times a day.

The combination of quality calf starter and water help the rumen develop. When a calf is born the rumen is still developing and the calf is unable to use forage like an adult ruminant. This allows for the calf to get as much nutrients from milk as possible (without having to share it with rumen microbes). Feeding starter before weaning calves allows time for the rumen to grow in terms of volume, microbe population and the surface area of the lining. Grain-based feeds are needed to develop the many folds and finger-like projections that form the rumen lining. Roughage doesn't produce the right volatile fatty acids to encourage the rumen lining to develop as a result feeding roughage to pre-weaned calves may slow rumen development (Figure 1). Roughages are also bulky feeds that aren't very nutrient dense compared to grains and protein products. The stomach of a young calf is not big enough to hold the amount of forage it would need to grow – if it could digest forage at all. It is best to introduce good quality hay after the calves have been weaned.

**Figure 1: Comparison of Rumen Lining of Calves Fed: Milk, Milk + Hay, Milk + Grains**



Source: Pennsylvania State University



## VEAL CALF MILK REPLACER

### THE firstSTART®C ADVANTAGE

When you choose firstSTART®C you are feeding a guaranteed nutrient content in each and every feeding. This ensures consistent and steady growth and development of the calves.

### QUALITY INGREDIENTS

#### PROTEIN SOURCES

Newborn calves need highly digestible and nutritive feeds. Most of the protein in firstSTART®C veal calf milk replacer is from milk products which include highly digestible skimmed milk, whey and other dried milk protein sources. A small portion of the protein comes from plant sources that help make firstSTART®C veal calf milk replacer an economical choice. Protein and amino acid intake go hand-in-hand. Amino acids are the building blocks of protein and protein is the main nutrient in the muscles. To optimize average daily gains, firstSTART®C is also balanced with synthetic amino acids.

#### FAT SOURCES

firstSTART®C provides metabolizable energy to support body weight gain and maintenance. This is especially important in cold weather, when a calf's energy requirement increases.

#### VITAMINS AND MINERALS

firstSTART®C is fully fortified and balanced with optimum vitamin and trace mineral levels. Vitamin A, D and E are necessary for normal growth and health of animals. Calves are pre-ruminants. Their rumen is not functional so there is no microbial population to produce needed B-Vitamins. firstSTART®C is fully supplemented with B-Vitamins.



Once a calf eats 1 – 2 lbs of starter for 3 consecutive days it is ready for weaning. Calves should be weaned based on starter intake rather than weight or age. Weaning is a stressful time for calves. Gradual weaning of the calf over 3-7 days can help reduce some of this stress. Housing changes often occur at weaning as well. Moving calves from hutches or individual pens should be done along with weaning so that the calves are stressed for a smaller length of time overall. Calves under 4 months of age should be limited to groups of 4-6 calves. This allows them time to adjust to herd dynamics and group feeding and reduces competition at the feed bunk. Continue feeding the starter feed for 1-2 weeks post weaning before changing over to a red veal program. Once they have adapted to the starter feed, and their rumens are developed, good quality hay or straw provides the scratch factor needed to keep the rumen healthy.

Kenpal recommends feeding the gemSTART 16% Calf Grower pellet for up to 1 month as a transition feed from the calf starter to a more complex starchy diet. Alternatively, if calves are doing very well they could move right to a ration with 3 parts grain to 1 part supplement before switching to a heavier grain diet. As the veal calves grow, the amount of whole corn in the ration should increase every 30 – 60 days. Some hay or straw should be fed to help prevent off-feed problems, but no more than 0.25 kg/head/day. Kenpal's gemSTART Red Veal products are designed to help calves grow faster with fewer health problems. A special blend of herbs and spices flavour can help stimulate intakes and improve microbial use of nutrients to increase feed efficiency. Supplemental thiamine enhances energy metabolism, and a full complement of vitamins and trace minerals help the veal calves meet growth targets.

There is so much to say about raising calves, from housing to record keeping, and this just focuses on the nutrition end of things. Calf nutrition is important, especially when it comes to colostrum, but the best nutrition in the world can't overcome widespread disease challenges or poorly ventilated housing. Getting colostrum into the calves quickly can save a lot of trouble down the road, and feeding a good quality calf starter program can help grow the calves into profitable animals for the farm.





*A ready-to-use drying powder for use in animal housing*

## HOW IT WORKS

*The principle behind the effectiveness of drySTART® is simple; help optimize animal environment which can increase your economic returns by:*

- **DRYING THE ENVIRONMENT** drySTART® helps to absorb moisture. Use drySTART® as part of your livestock facility management program to help maintain a dry environment between bedding and/or washing.
- **CREATING A POSITIVE ENVIRONMENT** reducing odors helps maintain a positive environment for the livestock and the people working with the livestock.



the **START** line.

**drySTART**



### Livestock Supplier of:

- ★ Specialty Feed Products
- ★ Vitamin & Mineral Premixes
- ★ Lacta-Fat® liquid fat
- ★ Liquid Molasses blend
- ★ STARTline® including drySTART® (drying agent for livestock & poultry facilities)
- ★ International Stock Food (ISF)
- ★ Silo Guard® II Forage Additive (dry and liquid)



- Providing Products to the Livestock Industry since 1983
- Feed Assure™ (HACCP) Certified since 1999 (First in Canada)
- Family owned company doing business with family principles



## WE APPRECIATE YOUR BUSINESS

69819 London Road, RR #1, Centralia, Ontario, Canada, N0M 1K0

Tel: (519) 228-6444 or 1-800-265-2904 • Fax (519) 228-6560 • Email [kpalen@kenpal.on.ca](mailto:kpalen@kenpal.on.ca) • [www.kenpal.on.ca](http://www.kenpal.on.ca)